

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3488	(711/133,3,141,147).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/03 11:16
L2	1	L1 AND ((data ADJ transfer\$4) AND processor\$1 AND (cache ADJ set\$1) AND address\$2 AND (main ADJ memory) AND writ\$3 AND read\$3). clm.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:21

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	49460	@pd>"20060109"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 09:53
L2	4077	(711/3,141,147,153,163).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/03 09:55
L3	4712	(711/128,133,135,154,159,220). CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/03 09:55
L4	8151	L2 OR L3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 09:55
L5	2036	(cache near4 (set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)) near4 ((correspond\$3 OR associat\$3 OR relat\$3 OR coincid\$3 OR correlat\$3 OR pertain\$3) near4 (memory near4 (address\$3 OR location\$1 OR set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 09:55
L6	6682	((fill\$3 OR cop\$3 OR mov\$3 OR writ\$3 stor\$3) near3 (data OR datum)) near4 cach\$3 near4 (set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 09:55
L7	262	L6 WITH L5	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 09:55
L8	136	L7 AND L4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 09:55
L9	0	L1 AND L8	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:01
L10	1150646	(processor\$1 OR CPU\$1 OR microprocessor\$1 OR microcontroller\$1 OR MPU\$1 OR (micro ADJ (processor\$1 OR controller\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:01

L11	4097	(after OR follow\$3 OR subsequent\$3 OR next OR afterward\$1 OR thereafter OR succeed\$3 OR successive\$4) near4 (L10 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:01
L12	3	L6 SAME L5 SAME L11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:01
L13	0	L1 AND L12	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:01
L14	1548	(before OR prior OR afore OR previous\$2 OR forward OR follow\$3 OR preced\$3 OR anteced\$4) near4 (L10 near4 (read\$3 OR extract\$3 OR cop\$3 OR mov\$3) near3 (data OR datum))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:01
L15	2	L6 SAME L5 SAME L14	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:01
L16	0	L1 AND L15	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:03
L17	17091	(processor\$1 OR CPU\$1 OR microprocessor\$1 OR microcontroller\$1 OR MPU\$1 OR (micro ADJ (processor\$1 OR controller\$1))) near4 (cache near2 memor\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:03
L18	1101	(711/141).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/03 10:03
L19	29	L5 WITH L17 AND L18	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:03
L20	0	L1 AND L19	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:04

L21	61078	(multi ADJ processor\$1) OR multiprocessor\$1 OR (multiple near2 (processor\$1 OR CPU\$1 OR microprocessor\$1 OR microcontroller\$1 OR MPU\$1 OR (micro ADJ (processor\$1 OR controller\$1))))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:04
L22	132	(L6 WITH L5) AND L21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:04
L23	0	L1 AND L22	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:04
L24	819051	(fill\$3 OR cop\$3 OR mov\$3 OR writ\$3 stor\$3 OR cach\$3) near4 (set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:04
L25	4097	(after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR succeed\$3 OR successive\$4) near4 (L10 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:04
L26	346	L24 WITH L25	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:04
L27	7	L1 AND L26	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:10
L28	39	L24 WITH L25 AND L4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:10
L29	30	L24 SAME L25 AND L4 NOT L28	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:10
L30	0	L1 AND L29	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:11
L31	40508	(cach\$3) near4 (data OR datum)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:12

L32	5045	(711/128,133,135,143,154,159,220).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/03 10:12
L33	8374	L2 OR L32	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:12
L34	67	(L31 WITH L25) AND L33	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:12
L35	2	L1 AND L34	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:14
L36	3630	((after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR successive\$4 OR first\$2 OR initial\$2) OR (before OR prior OR afore OR previous\$2 OR preced\$3 OR anteced\$4)) near4 (L10 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum) near3 (memor\$3 OR "main memory" OR SDRAM\$1 OR SRAM\$1 OR DRAM\$1 OR RAM\$1 OR SIMM\$1 OR DIMM\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:14
L37	279659	(cach\$3 OR cop\$3 OR writ\$3) near4 (data OR datum)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:14
L38	143	(L36 WITH L37) AND L33 AND L21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:14
L39	1	L1 AND L38	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:17
L40	3143	((after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR successive\$4 OR first\$2 OR initial\$2)) near4 (L10 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum) near3 (memor\$3 OR "main memory" OR SDRAM\$1 OR SRAM\$1 OR DRAM\$1 OR RAM\$1 OR SIMM\$1 OR DIMM\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:17

L41	130	(L40 WITH L37) AND L33 AND L21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:17
L42	1	L1 AND L41	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:18
L43	41	(L31 WITH L25) AND L33 AND L21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:18
L44	41264	((cach\$3 OR cop\$3 OR writ\$3) near4 (data OR datum) WITH cach\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:18
L45	59	(L40 WITH L44) AND L33 AND L21 NOT (L43 OR L28)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:18
L46	0	L1 AND L45	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:18
L47	34536	((cach\$3 OR cop\$3 OR writ\$3) near4 (data OR datum) near4 cach\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:18
L48	44	(L40 WITH L47) AND L33 AND L21 NOT (L43 OR L28)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:18
L49	0	L1 AND L48	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:19
L50	4077	(711/3,141,147,153,163).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/03 10:19
L51	4712	(711/128,133,135,154,159,220). CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/03 10:19
L52	8151	L50 OR L51	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:19

L53	1150646	(processor\$1 OR CPU\$1 OR microprocessor\$1 OR microcontroller\$1 OR MPU\$1 OR (micro ADJ (processor\$1 OR controller\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:19
L54	819051	(fill\$3 OR cop\$3 OR mov\$3 OR writ\$3 stor\$3 OR cach\$3) near4 (set\$1 OR row\$1 OR block\$1 OR group\$1 OR line\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:19
L55	4097	(after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR succeed\$3 OR successive\$4) near4 (L53 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:19
L56	39	L54 WITH L55 AND L52	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:19
L57	1	L1 AND L56	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:22
L58	61078	(multi ADJ processor\$1) OR multiprocessor\$1 OR (multiple near2 (processor\$1 OR CPU\$1 OR microprocessor\$1 OR microcontroller\$1 OR MPU\$1 OR (micro ADJ (processor\$1 OR controller\$1))))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:23
L59	40508	(cach\$3) near4 (data OR datum)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:23
L60	5045	(711/128,133,135,143,154,159, 220).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/03 10:23
L61	8374	L50 OR L60	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:23
L62	41	(L59 WITH L55) AND L61 AND L58	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:23
L63	2	L1 AND L62	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:29

L64	40681	((cach\$3 near4 (data OR datum)) OR ((cop\$3 OR writ\$3) near4 (data OR datum) near4 cach\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:29
L65	3143	((after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR successive\$4 OR first\$2 OR initial\$2)) near4 (L53 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum) near3 (memor\$3 OR "main memory" OR SDRAM\$1 OR SRAM\$1 OR DRAM\$1 OR RAM\$1 OR SIMM\$1 OR DIMM\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:29
L66	49	((L65 WITH L64) AND L61 AND L58) NOT (L62 OR L56)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:29
L67	0	L1 AND L66	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:30
L68	49	(L65 WITH L64) AND L61 AND L58 NOT (L62 OR L56)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:30
L69	618	((before OR prior OR afore OR previous\$2 OR preced\$3 OR anteced\$4)) near4 (L53 near4 (writ\$3 OR stor\$3 OR cop\$3) near3 (data OR datum) near3 (memor\$3 OR "main memory" OR SDRAM\$1 OR SRAM\$1 OR DRAM\$1 OR RAM\$1 OR SIMM\$1 OR DIMM\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:30
L70	7	((L69 WITH L64) AND L61 AND L58) NOT (L62 OR L56 OR L68)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:30
L71	0	L1 AND L70	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:30
L72	21	((L65 SAME L64) AND L61 AND L58) NOT (L62 OR L56 OR L66)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:31
L73	0	L1 AND L72	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:31

L74	1	((L69 SAME L64) AND L61 AND L58) NOT (L62 OR L56 OR L68 OR L70 OR L72)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:31
L75	0	L1 AND L74	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:32
L76	366	L53 near4 (dumm\$4 OR null OR bogus OR fak\$3 OR pseudo OR pretend\$3) near4 (read\$3 OR load\$3 OR stor\$3 OR cop\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:32
L77	9922	(after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR succeed\$3 OR successive\$4) near4 ((writ\$3 OR cop\$3 OR mov\$3 OR transfer\$4) near4 L53)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:32
L78	13	L76 SAME L77	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:32
L79	0	L1 AND L78	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:32
L80	6316	(before OR prior OR afore OR previous\$2 OR preced\$3 OR anteced\$4) near4 ((read\$3 OR cop\$3 OR mov\$3 OR transfer\$4 OR load\$3) near4 L53)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:32
L81	4	L76 SAME L80	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:32
L82	0	L1 AND L81	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:32
L83	802	L53 WITH ((dumm\$4 OR null OR bogus OR fak\$3 OR pseudo OR pretend\$3) near4 (read\$3 OR load\$3 OR stor\$3 OR cop\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:33
L84	24122	(after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR succeed\$3 OR successive\$4) near10 ((writ\$3 OR cop\$3 OR mov\$3 OR transfer\$4) near10 L53)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:33

L85	20	(L83 SAME L84) NOT L78	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:33
L86	0	L1 AND L85	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:33
L87	17891	(before OR prior OR afore OR previous\$2 OR preced\$3 OR anteced\$4) near10 ((read\$3 OR cop\$3 OR mov\$3 OR transfer\$4 OR load\$3) near10 L53)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:33
L88	28	(L83 SAME L87) NOT L81	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:33
L89	1	L1 AND L88	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:34
L90	3681	((first OR initial\$2 OR before OR prior OR afore OR previous\$2 OR preced\$3 OR anteced\$4)) near4 (L53 near4 (read\$3 OR extract\$3 OR mov\$3 OR cop\$3) near3 (data OR datum))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:34
L91	73	(L90 WITH L64) AND L61 AND L58	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:34
L92	2	L1 AND L91	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:34
L93	17	(L90 SAME L64) AND L61 AND L58 NOT L91	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:34
L94	0	L1 AND L93	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:40
L95	3161	((after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR successive\$4)) near4 (L53 near4 (read\$3 OR extract\$3 OR mov\$3 OR cop\$3) near3 (data OR datum))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:40

L96	31	(L95 WITH L64) AND L61 AND L58	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:40
L97	1	L1 AND L96	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:41
L98	22	(L95 SAME L64) AND L61 AND L58 NOT L96	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:41
L99	0	L1 AND L98	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:41
L100	2	L76 WITH L77	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:41
L101	2553	L53 near4 (dumm\$4 OR null OR bogus OR fak\$3 OR pseudo OR pretend\$3 OR (place ADJ hold\$3) OR hold\$3 OR reserv\$3) near4 (read\$3 OR load\$3 OR stor\$3 OR cop\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:41
L102	1	(L101 WITH L77) NOT L100	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:41
L103	0	L1 AND L102	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:42
L104	18	(L101 SAME L77) NOT (L78 OR L102)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:42
L105	0	L1 AND L104	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:42
L106	3	L76 WITH L80	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:43
L107	29	(L101 WITH L80) NOT L106	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:43

L108	0	L1 AND L107	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:43
L109	2	(L101 WITH L80) AND L61 NOT L106	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:43
L110	5	(L101 SAME L80) AND L61 NOT (L109 OR L81)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:43
L111	0	L1 AND L110	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:43
L112	17139	(after OR follow\$3 OR subsequent\$3 OR next OR then OR afterward\$1 OR thereafter OR succeed\$3 OR successive\$4) near4 ((read\$3 OR cop\$3 OR mov\$3 OR transfer\$4 OR load\$3) near4 L53)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:43
L113	19	L76 SAME L112	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:43
L114	0	L1 AND L113	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:43
L115	4199	(before OR prior OR afore OR previous\$2 OR preced\$3 OR anteced\$4) near4 ((writ\$3 OR cop\$3 OR mov\$3 OR transfer\$4) near4 L53)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:43
L116	1	L76 SAME L115	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:43
L117	0	L1 AND L116	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:43